PRIMO II 48			
Includes:			
31,050 - 45,000 BTU/Hour Input (NG)	When Terminating Horizontal the HZTERM-AD Kit Is Required Along With a Standard Trap Cap		
31,500 - 45,000 BTU/Hour Input (LP)	Crushed Glass Media Only: 4 Bags		
48" W X 18" H Glass Viewing Size	Crushed Glass Media With Logs: 3 Bags		
IntelliFire Touch 2.0 Ignition System	Stones: use only 1 set, requires media, cannot		
	be used with logs	A CALL AND A CALL	
RC-450 Remote Control	Advanced Technology Product Training	and the second s	
Multi-Colored LED Lights			
6" Outside Air Starting Collar & Exterior Hood			
(6" Insulated Flex Sold Sperately)			
Suction Cups Recommended (Not Included) to			
install and remove Safe Surface & Firebox Glass)			
Required to Complete - Sold Separately:	Safe Surface Glass (QTY 1)	Liner Kit	-
- · · · ·	Crushed Glass Media	6" Insulated Flex Duct	
HFPRIMOII48	48" Single Side Direct Vent Gas Fireplace Top V (NG)	ent With IntelliFire Touch 2.0 Ignition System	MSF \$8,9
Fronts - Non-Operable (Required to Complete)			
Safe Surface Glass			
HAGLASSSS48	48" Safe Surface Barrier Glass		\$54
Media (Required to Complete)			
Crushed Glass Media			J
HAMEDIACP	Copper Embers - Crushed Glass Media (1 bag, 5		\$10
HAMEDIACY	Crystal Embers - Crushed Glass Media (1 bag, 5)		\$10
HAMEDIAGT	Graphite Embers - Crushed Glass Media (1 bag,		\$10
HAMEDIASM	Smoked Embers - Crushed Glass Media (1 bag, 5	olds)	\$10
Stone Media	Diver Deale Stone Set (requires modia)		.
HASTONES48	River Rock Stone Set (requires media)		\$20
Liner Kit (Required to Complete)			
Architectural Fiber Refractory HAACTPR48	49" Architectural Eiber Defractory		\$90
Black Glass Liner - Fluted	48" Architectural Fiber Refractory		390 7
HABGKFLPR48	48" Black Glass Liner - Fluted		\$1,1
Black Glass Liner - Two Sided			1
HABGKMRBPR48	48" Black Glass Liner - 2 sided Reflective/Printe	ed Marble	\$1,1
Column Fiber Refractory			1
HACOLPR48	48" Stone Column Fiber Refractory		\$90
Venting (Required to Complete)			÷.
Insulated Flex Duct - Chimney Air Kits/Flex Duct			1
ZAID6	6" insulated flex duct for use with outside air k	it - included two 42" sections	\$12
6" Insulated Flex Duct			
HHVFLEXDUCT6AI	6" insulated flex duct for outside air - 25'		\$13
LP Conversion Kit			
LP Conversion Kit			
HLPKPRIMOII	LP Conversion kit for Primo II Series		\$13
Options & Accessories			,
Carry Handle			
HACARRYHANDLE	Reusable Carry handle for use with PRIMO-II (1	ncs need 2 ner unit)	\$24

Gas Logs & Log Sets	
Birch Logs	
HABIRLGLINSM	48" Birch Log Set (Requires Crushed Glass Media)
Driftwood Logs	
HADWLGLINSM	48" Driftwood Log Set (Requires Crushed Glass Media)
Traditional Logs	
HAOAKLGLINSM	48" Traditional Log Set (Requires Crushed Glass Media)
Heat Management	
Primo Heat Duct	
HAPRIMOHEATDUCT	Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall and Ceiling Register, 25' of 6" Insulated Flex Duct
Control, remotes, wall switchs	
IntelliFire app	
	IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat
HAIFTWFM	control
IntelliFire Touch Controls - Aux Module	
	IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat
HAIFT2PACM	Management. Does not include RC450 Touchscreen remote
IntelliFire Touch Controls	
	Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control
HAIFTRC150U	
HAIFTRC150U IntelliFire Touch Controls	wall switch for On/Off and Cold Climate control IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicato
HAIFTRC150U	wall switch for On/Off and Cold Climate control IntelliFire Touch black remote control, docking station and auxiliary control module (on/off,
HAIFTRC150U IntelliFire Touch Controls HAIFT2RC450	wall switch for On/Off and Cold Climate control IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator
HAIFTRC150U IntelliFire Touch Controls HAIFT2RC450 Termination Kits Horizontal Termination Kit	wall switch for On/Off and Cold Climate control IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator lights, on-screen maintenance and troubleshooting notifications)
HAIFTRC150U IntelliFire Touch Controls HAIFT2RC450 Termination Kits Horizontal Termination Kit	wall switch for On/Off and Cold Climate control IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicato lights, on-screen maintenance and troubleshooting notifications) Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal
Horizontal Termination Kit HAHZTERMADP	wall switch for On/Off and Cold Climate control IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator lights, on-screen maintenance and troubleshooting notifications)
HAIFTRC150U IntelliFire Touch Controls HAIFT2RC450 Termination Kits Horizontal Termination Kit	wall switch for On/Off and Cold Climate control IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator lights, on-screen maintenance and troubleshooting notifications) Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal Terminations, To Be Used With Standard DVP and SLP Trap Caps)

			-
PRIMO II 60			
Includes:			
38,050 - 55,000 BTU/Hour Input (NG)	When Terminating Horizontal the HZTERM-ADF Kit Is Required Along With a Standard Trap Cap		
38,500 - 55,000 BTU/Hour Input (LP)	Crushed Glass Media Only: 4 Bags		
60" W X 18" H Glass Viewing Size	Crushed Glass Media With Logs: 3 Bags		
IntelliFire Touch 2.0 Ignition System	Stones: use only 1 set, requires media, cannot		
	be used with logs		
RC-450 Remote Control	Advanced Technology Product Training Required Before Product Ships	it a hand have wet	
Multi-Colored LED Lights			
6" Outside Air Starting Collar & Exterior Hood			
(6" Insulated Flex Sold Sperately)			
Suction Cups Recommended (Not Included) to			
install and remove Safe Surface & Firebox Glass)		
Required to Complete - Sold Separately:	Safe Surface Glass (QTY 1)	Liner Kit	
	Crushed Glass Media	6" Insulated Flex Duct	
			MSRP
HFPRIMOII60	60" Single Side Direct Vent Gas Fireplace Top Ve (NG)	ent With IntelliFire Touch 2.0 Ignition System	\$10,499
Fronts - Non-Operable (Required to Complete)			
Safe Surface Glass			
HAGLASSSS60	60" Safe Surface Barrier Glass		\$649
Media (Required to Complete)			
Crushed Glass Media			J
HAMEDIACP	Copper Embers - Crushed Glass Media (1 bag, 51		\$104
HAMEDIACY	Crystal Embers - Crushed Glass Media (1 bag, 5ll		\$104
HAMEDIAGT	Graphite Embers - Crushed Glass Media (1 bag, 1		\$104
HAMEDIASM	Smoked Embers - Crushed Glass Media (1 bag, 5	lbs)	\$104
Stone Media			
HASTONES60	River Rock Stone Set (requires media)		\$265
Liner Kit (Required to Complete) Architectural Fiber Refractory			
HAACTPR60	60" Architectural Fiber Refractory		\$1,047
Black Glass Liner - Fluted	of Alemeetalamber Kenactory		,,,,,
HABGKFLPR60	60" Black Glass Liner - Fluted		\$1,399
Black Glass Liner - Two Sided			1
HABGKMRBPR60	60" Black Glass Liner - 2 sided Reflective/Printe	d Marble	\$1,323
Column Fiber Refractory			1
HACOLPR60	60" Stone Column Fiber Refractory		\$1,047
Venting (Required to Complete)			<i> </i>
Insulated Flex Duct - Chimney Air Kits/Flex Duct			
ZAID6	6" insulated flex duct for use with outside air ki	t - included two 42" sections	\$129
6" Insulated Flex Duct			1
HHVFLEXDUCT6AI	6" insulated flex duct for outside air - 25'		\$131
LP Conversion Kit			<i></i>
LP Conversion Kit			
HLPKPRIMOII	LP Conversion kit for Primo II Series		\$137
Options & Accessories			212/
Carry Handle			
HACARRYHANDLE	Pousable Carny bandle for use with DDIMO 11/1	ncs nood 2 nor unit)	6242
	Reusable Carry handle for use with PRIMO-II (1	pus, neeu z per unitj	\$242

HABIRLGLINLG 48" Birch Log Set (Requires Crushed Glass Media) Driftwood Logs HADWLGLINLG 48" Driftwood Log Set (Requires Crushed Glass Media) Traditional Log Set (Requires Crushed Glass Media) HAOAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAOAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAOAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) Heat Monagement Primo Heat Duct HAPRIMOHEATDUCT Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall and Ceiling Register, 25' of 6" Insulated Flex Duct Control, remotes, wall switchs IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat HAIFT2PACM Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFT2FACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, fiame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicato lights, on-screen maintenance and troubleshooting notifications) Termination Kit	Gas Logs & Log Sets	
Driftwood Logs HADWLGLINLG 48" Driftwood Log Set (Requires Crushed Glass Media) Traditional Log HAQAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAQAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAQAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Color Set (Color Color Color Set	Birch Logs	
HADWLGLINLG 48" Driftwood Log Set (Requires Crushed Glass Media) Traditional Logs HAOAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HACAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HACAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HACAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall and Ceiling Register, 25' of 6" Insulated Flex Duct Control, remotes, wall switchs IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module HAIFT2PACM IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFT2PACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2C1500 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Termination Kit HAIFTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	HABIRLGLINLG	48" Birch Log Set (Requires Crushed Glass Media)
Traditional Logs HAOAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAOAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) Heat Management Primo Heat Duct HAPRIMOHEATDUCT Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall and Ceiling Register, 25' of 6" Insulated Flex Duct Control, remotes, wall switchs IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat Maingement. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFT2PACM Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFT2FACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, fiame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Termination Kit HAIFT2RCAADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	Driftwood Logs	
HAOAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) Heat Management Primo Heat Duct HAPRIMOHEATDUCT Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall and Celling Register, 25' of 6" Insulated Flex Duct Control, remotes, wall switchs IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module HAIFTWFM control IntelliFire Touch Controls - Aux Module HAIFT2PACM IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFTRC150U Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Termination Kits HAIFTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	HADWLGLINLG	48" Driftwood Log Set (Requires Crushed Glass Media)
Heat Management Primo Heat Duct HAPRIMOHEATDUCT Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall and Ceiling Register, 25' of 6" Insulated Flex Duct Control, remotes, wall switchs IntelliFire app IntelliFire WI-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat HAIFT2PACM IntelliFire Touch Controls HAIFT2PACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Termination Kits HAIFTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	Traditional Logs	
Primo Hear Duct HAPRIMOHEATDUCT Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall and Ceiling Register, 25" of 6" Insulated Flex Duct Control, remotes, wall switchs IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat MaIFT2PACM Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFTC150U Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Fermination Kit HAIFTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	HAOAKLGLINLG	48" Traditional Log Set (Requires Crushed Glass Media)
HAPRIMOHEATDUCT Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall and Ceiling Register, 25' of 6" Insulated Flex Duct IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control intelliFire Touch Controls - Aux Module HAIFTVEFM control - Aux Module HAIFT2 PACM Maagement. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFT2 PACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2 RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicated lights, on-screen maintenance and troubleshooting notifications) Fermination Kits HAIFTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	Heat Management	
and Ceiling Register, 25' of 6" Insulated Flex Duct Control, remotes, wall switchs IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat MaIFT2PACM IntelliFire Touch Controls HAIFT2PACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Termination Kits HAIFT2ERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	Primo Heat Duct	
Control, remotes, wall switchs intelliFire app IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control HAIFTWFM control IntelliFire Touch Controls - Aux Module IntelliFire Touch Controls HAIFT2 PACM Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFTC150U Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Termination Kits Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	HAPRIMOHEATDUCT	Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall
IntelliFire app IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module IntelliFire Touch Controls - Aux Module IntelliFire Touch Controls - Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls Int		and Ceiling Register, 25' of 6" Insulated Flex Duct
IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module IntelliFire Touch Controls - Aux Module IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFT2PACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Termination Kits HAIFT2RMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		
the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control HAIFTWFM control IntelliFire Touch Controls - Aux Module IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat Management. Does not include RC450 Touchscreen remote HAIFT2PACM Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Fermination Kits Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	ntelliFire app	
HAIFTWFM controls - Aux Module IntelliFire Touch Controls - Aux Module HAIFT2PACM IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFT2PACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Termination Kits HAIZTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		
IntelliFire Touch Controls - Aux Module IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFT2PACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Iermination Kits HAIFT2RMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		
IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicato lights, on-screen maintenance and troubleshooting notifications) Iermination Kits HAIFT2RMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		control
HAIFT2PACM Management. Does not include RC450 Touchscreen remote httelliFire Touch Controls Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control htelliFire Touch Controls Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control htelliFire Touch Controls IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) ermination Kits IntelliFire Touch I Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base Add Face Trim (Required For All Horizontal Termination Kit	ntelliFire Touch Controls - Aux Module	
IntelliFire Touch Controls Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Iemination Kits Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		
HAIFTRC150U Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Iemination Kits HAIZTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	-	Management. Does not include RC450 Touchscreen remote
wall switch for On/Off and Cold Climate control AtelliFire Touch Controls IntelliFire Touch Dlack remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) ermination Kits Iorizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		
ntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) remination Kits Horizontal Termination Kit HAHZTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	HAIFIRC1500	
HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) fermination Kits HAIZTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		waii switch for On/On and Cold Climate control
flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Fermination Kits HARZTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		
Iights, on-screen maintenance and troubleshooting notifications) Termination Kits Horizontal Termination Kit HAHZTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	HAIF12RC450	
Termination Kits Horizontal Termination Kit HAHZTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		
Horizontal Termination Kit HAHZTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	Termination Kits	
	HAHZTERMADP	Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal
Venting Notes	Venting Notes	
DVP and SLP Venting Approved (DVP Starting Collar)	DVP and SLP Venting Approved (DVP St	arting Collar)

		_
PRIMO II 72		
Includes:		
38,050 - 59,000 BTU/Hour Input (NG)	When Terminating Horizontal the HZTERM-ADP	
38,030 - 39,000 BTO/Hour Input (NG)	Kit Is Required Along With a Standard Trap Cap	
38,500 - 59,000 BTU/Hour Input (LP)	Crushed Glass Media Only: 5 Bags	
72" W X 18" H Glass Viewing Size	Crushed Glass Media With Logs: 4 Bags	
IntelliFire Touch 2.0 Ignition System	Stones: use only 1 set, requires media, cannot	
	be used with logs	
RC-450 Remote Control	Advanced Technology Product Training Required Before Product Ships	
Multi-Colored LED Lights		
6" Outside Air Starting Collar & Exterior Hood		
(6" Insulated Flex Sold Sperately)		
Suction Cups Recommended (Not Included) to		
install and remove Safe Surface & Firebox Glass)	
Required to Complete - Sold Separately:	Safe Surface Glass (QTY 1) Liner Kit	-
	Crushed Glass Media 6" Insulated Flex Duct	
		MSRP
HFPRIMOII72	72" Single Side Direct Vent Gas Fireplace Top Vent With IntelliFire Touch 2.0 Ignition System (NG)	\$13,499
Fronts - Non-Operable (Required to Complete)		
Safe Surface Glass		
HAGLASSSS72	60" Safe Surface Barrier Glass	\$689
Media (Required to Complete)		
Crushed Glass Media		
HAMEDIACP	Copper Embers - Crushed Glass Media (1 bag, 5lbs)	\$104
HAMEDIACY	Crystal Embers - Crushed Glass Media (1 bag, 5lbs)	\$104
HAMEDIAGT	Graphite Embers - Crushed Glass Media (1 bag, 5lbs)	\$104
HAMEDIASM	Smoked Embers - Crushed Glass Media (1 bag, 5lbs)	\$104
Stone Media		
HASTONES72	River Rock Stone Set (requires media)	\$307
Liner Kit (Required to Complete)		
Architectural Fiber Refractory		
HAACTPR72	72" Architectural Fiber Refractory	\$1,185
Black Glass Liner - Fluted		
HABGKFLPR72	72" Black Glass Liner - Fluted	\$1,499
Black Glass Liner - Two Sided		
HABGKMRBPR72	72" Black Glass Liner - 2 sided Reflective/Printed Marble	\$1,460
Column Fiber Refractory		
HACOLPR72	72" Stone Column Fiber Refractory	\$1,185
Venting (Required to Complete) Insulated Flex Duct - Chimney Air Kits/Flex Duct		
ZAID6	6" insulated flex duct for use with outside air kit - included two 42" sections	\$129
6" Insulated Flex Duct		
HHVFLEXDUCT6AI	6" insulated flex duct for outside air - 25'	\$131
LP Conversion Kit		
LP Conversion Kit		
HLPKPRIMOII	LP Conversion kit for Primo II Series	\$137
Options & Accessories		
Carry Handle		
HACARRYHANDLE	Reusable Carry handle for use with PRIMO-II (1 pcs, need 2 per unit)	\$242

HABIRLGLINLG 48" Birch Log Set (Requires Crushed Glass Media) Driftwood Logs HADWLGLINLG 48" Driftwood Log Set (Requires Crushed Glass Media) Traditional Log Set (Requires Crushed Glass Media) HAOAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAOAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAOAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) Heat Monagement Primo Heat Duct HAPRIMOHEATDUCT Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall and Ceiling Register, 25' of 6" Insulated Flex Duct Control, remotes, wall switchs IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat HAIFT2PACM Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFT2FACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, fiame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicato lights, on-screen maintenance and troubleshooting notifications) Termination Kit	Gas Logs & Log Sets	
Driftwood Logs HADWLGLINLG 48" Driftwood Log Set (Requires Crushed Glass Media) Traditional Log HAQAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAQAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAQAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAUAKLGLINLG 48" Traditional Color Set (Color Color Color Set	Birch Logs	
HADWLGLINLG 48" Driftwood Log Set (Requires Crushed Glass Media) Traditional Logs HAOAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HACAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HACAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HACAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall and Ceiling Register, 25' of 6" Insulated Flex Duct Control, remotes, wall switchs IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module HAIFT2PACM IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFT2PACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2C1500 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Termination Kit HAIFTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	HABIRLGLINLG	48" Birch Log Set (Requires Crushed Glass Media)
Traditional Logs HAOAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) HAOAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) Heat Management Primo Heat Duct HAPRIMOHEATDUCT Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall and Ceiling Register, 25' of 6" Insulated Flex Duct Control, remotes, wall switchs IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat Maingement. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFT2PACM Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFT2FACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, fiame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Termination Kit HAIFT2RCAADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	Driftwood Logs	
HAOAKLGLINLG 48" Traditional Log Set (Requires Crushed Glass Media) Heat Management Primo Heat Duct HAPRIMOHEATDUCT Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall and Celling Register, 25' of 6" Insulated Flex Duct Control, remotes, wall switchs IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module HAIFTWFM control IntelliFire Touch Controls - Aux Module HAIFT2PACM IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFTRC150U Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Termination Kits HAIFTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	HADWLGLINLG	48" Driftwood Log Set (Requires Crushed Glass Media)
Heat Management Primo Heat Duct HAPRIMOHEATDUCT Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall and Ceiling Register, 25' of 6" Insulated Flex Duct Control, remotes, wall switchs IntelliFire app IntelliFire WI-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat HAIFT2PACM IntelliFire Touch Controls HAIFT2PACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Termination Kits HAIFTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	Traditional Logs	
Primo Hear Duct HAPRIMOHEATDUCT Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall and Ceiling Register, 25" of 6" Insulated Flex Duct Control, remotes, wall switchs IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat MaIFT2PACM Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFTC150U Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Fermination Kit HAIFTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	HAOAKLGLINLG	48" Traditional Log Set (Requires Crushed Glass Media)
HAPRIMOHEATDUCT Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall and Ceiling Register, 25' of 6" Insulated Flex Duct IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control intelliFire Touch Controls - Aux Module HAIFTVEFM control - Aux Module HAIFT2 PACM Maagement. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFT2 PACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2 RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicated lights, on-screen maintenance and troubleshooting notifications) Fermination Kits HAIFTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	Heat Management	
and Ceiling Register, 25' of 6" Insulated Flex Duct Control, remotes, wall switchs IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat MaIFT2PACM IntelliFire Touch Controls HAIFT2PACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Termination Kits HAIFT2ERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	Primo Heat Duct	
Control, remotes, wall switchs intelliFire app IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control HAIFTWFM control IntelliFire Touch Controls - Aux Module IntelliFire Touch Controls HAIFT2 PACM Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFTC150U Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Termination Kits Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	HAPRIMOHEATDUCT	Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall
IntelliFire app IntelliFire app IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module IntelliFire Touch Controls - Aux Module IntelliFire Touch Controls - Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls Int		and Ceiling Register, 25' of 6" Insulated Flex Duct
IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control IntelliFire Touch Controls - Aux Module IntelliFire Touch Controls - Aux Module IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFT2PACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Termination Kits HAIFT2RMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		
the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat control HAIFTWFM control IntelliFire Touch Controls - Aux Module IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat Management. Does not include RC450 Touchscreen remote HAIFT2PACM Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Fermination Kits Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	ntelliFire app	
HAIFTWFM controls - Aux Module IntelliFire Touch Controls - Aux Module HAIFT2PACM IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFT2PACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Termination Kits HAIZTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		
IntelliFire Touch Controls - Aux Module IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls HAIFT2PACM Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Iermination Kits HAIFT2RMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		
IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat Management. Does not include RC450 Touchscreen remote IntelliFire Touch Controls Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicato lights, on-screen maintenance and troubleshooting notifications) Iermination Kits HAIFT2RMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		control
HAIFT2PACM Management. Does not include RC450 Touchscreen remote httelliFire Touch Controls Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control htelliFire Touch Controls Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control htelliFire Touch Controls IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) ermination Kits IntelliFire Touch I Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base and Face Trim (Required For All Horizontal Termination Kit - Includes Base Add Face Trim (Required For All Horizontal Termination Kit	ntelliFire Touch Controls - Aux Module	
IntelliFire Touch Controls Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Iemination Kits Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		
HAIFTRC150U Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless wall switch for On/Off and Cold Climate control IntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Iemination Kits HAIZTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	-	Management. Does not include RC450 Touchscreen remote
wall switch for On/Off and Cold Climate control AtelliFire Touch Controls IntelliFire Touch Dlack remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) ermination Kits Iorizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		
ntelliFire Touch Controls HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) remination Kits Horizontal Termination Kit HAHZTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	HAIFIRC1500	
HAIFT2RC450 IntelliFire Touch black remote control, docking station and auxiliary control module (on/off, flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) fermination Kits HAIZTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		waii switch for On/On and Cold Climate control
flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicate lights, on-screen maintenance and troubleshooting notifications) Fermination Kits HARZTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		
Iights, on-screen maintenance and troubleshooting notifications) Termination Kits Horizontal Termination Kit HAHZTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	HAIF12RC450	
Termination Kits Horizontal Termination Kit HAHZTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal		
Horizontal Termination Kit HAHZTERMADP Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	Termination Kits	
	HAHZTERMADP	Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal
Venting Notes	Venting Notes	
DVP and SLP Venting Approved (DVP Starting Collar)	DVP and SLP Venting Approved (DVP St	arting Collar)

PRIMO II 48ST		
Includes:		
31,050 - 45,000 BTU/Hour Input (NG)	When Terminating Horizontal the HZTERM-A Kit Is Required Along With a Standard Trap Ca	
21 500 45 000 PTU/Hour Input (LD)		aþ
31,500 - 45,000 BTU/Hour Input (LP) 48" W X 18" H Glass Viewing Size	Crushed Glass Media Only: 4 Bags Crushed Glass Media With Logs: 3 Bags	
•	Stones: use only 1 set, requires media, canno	· · · · · · · · · · · · · · · · · · ·
IntelliFire Touch 2.0 Ignition System	be used with logs	The second second
RC-450 Remote Control	Advanced Technology Product Training	and the second s
	Required Before Product Ships	LA AN ANALY A ALKA A
Multi-Colored LED Lights	·····	
6" Outside Air Starting Collar & Exterior Hood		
(6" Insulated Flex Sold Sperately)		
Suction Cups Recommended (Not Included) to		
nstall and remove Safe Surface & Firebox Glass	1	
Required to Complete - Sold Separately:	Safe Surface Glass (QTY 2) Crushed Glass Media	Liner Kit 6" Insulated Flex Duct
		ט הוגעומנפע דופא שעננ
HFPRIMOII48ST	48" See Through Direct Vent Gas Fireplace To (NG)	p Vent With IntelliFire Touch 2.0 Ignition System
Fronts - Non-Operable (Required to Complete) Safe Surface Glass		
HAGLASSSS48	48" Safe Surface Barrier Glass	
Media (Required to Complete)		
Crushed Glass Media		
IAMEDIACP	Copper Embers - Crushed Glass Media (1 bag,	5lbs)
HAMEDIACY	Crystal Embers - Crushed Glass Media (1 bag,	
HAMEDIAGT	Graphite Embers - Crushed Glass Media (1 bag)	
HAMEDIASM	Smoked Embers - Crushed Glass Media (1 bag	
Stone Media		, ,
HASTONES48	River Rock Stone Set (requires media)	
Liner Kit (Required to Complete)		
Architectural Fiber Refractory		
HAACTPRST	See Through Architectural Fiber Refractory	
Black Glass Liner - Fluted		
HABGKFLPRST	See Through Black Glass Liner - Fluted	
Black Glass Liner - Two Sided		
HABGKMRBPRST	See Through Black Glass Liner - 2 sided Reflect	tive/Printed Marble
Column Fiber Refractory		
HACOLPRST	See Through Stone Column Fiber Refractory	
/enting (Required to Complete)		
nsulated Flex Duct - Chimney Air Kits/Flex Duct		
AID6	6" insulated flex duct for use with outside air	kit - included two 42" sections
" Insulated Flex Duct		
HVFLEXDUCT6AI	6" insulated flex duct for outside air - 25'	
P Conversion Kit		
P Conversion Kit		
HLPKPRIMOII	LP Conversion kit for Primo II Series	
Options & Accessories		
Carry Handle		
IACARRYHANDLE	Reusable Carry handle for use with PRIMO-II	(1 pcs, need 2 per unit)

Gas Logs & Log Sets		
Birch Logs		
HABIRLGLINSM	48" Birch Log Set (Requires Crushed Glass Media)	\$7:
Driftwood Logs		
HADWLGLINSM	48" Driftwood Log Set (Requires Crushed Glass Media)	\$7:
Traditional Logs		
HAOAKLGLINSM	48" Traditional Log Set (Requires Crushed Glass Media)	\$7 3
Heat Management		
Primo Heat Duct		
HAPRIMOHEATDUCT	Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall	\$20
	and Ceiling Register, 25' of 6" Insulated Flex Duct	
Control, remotes, wall switchs		
IntelliFire app		
	IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all	
	the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat	\$30
HAIFTWFM	control	
IntelliFire Touch Controls - Aux Module		
	IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat	<i></i>
HAIFT2PACM	Management. Does not include RC450 Touchscreen remote	\$19
IntelliFire Touch Controls		
HAIFTRC150U	Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless	\$16
	wall switch for On/Off and Cold Climate control	
IntelliFire Touch Controls		
HAIFT2RC450	IntelliFire Touch black remote control, docking station and auxiliary control module (on/off,	\$34
	flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator,	
	lights, on-screen maintenance and troubleshooting notifications)	
Termination Kits		
Horizontal Termination Kit		• • •
HAHZTERMADP	Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	\$20
	Terminations, To Be Used With Standard DVP and SLP Trap Caps)	
Misc ACC		
Indoor/Outdoor Kit		4
HAODKPR48	48"Indoor/Outdoor Kit (for use with PRIMO-II-48ST)	\$55
Venting Notes		
DVP and SLP Venting Approved (DVP		
See Venting Section In Install Manua	l For Approved Pipe and Termination Caps	

RIMO II 60 ST	
ncludes:	
8,050 - 55,000 BTU/Hour Input (NG)	When Terminating Horizontal the HZTERM-ADP Kit Is Required Along With a Standard Trap Cap
8,500 - 55,000 BTU/Hour Input (LP)	Crushed Glass Media Only: 4 Bags
0" W X 18" H Glass Viewing Size	Crushed Glass Media With Logs: 3 Bags
ntelliFire Touch 2.0 Ignition System	Stones: use only 1 set, requires media, cannot
	be used with logs
C-450 Remote Control	Advanced Technology Product Training Required Before Product Ships
Aulti-Colored LED Lights	Required belore Froduct Ships
"Outside Air Starting Collar & Exterior Hood	
5" Insulated Flex Sold Sperately)	
uction Cups Recommended (Not Included) to	
nstall and remove Safe Surface & Firebox Glass)	
equired to Complete - Sold Separately:	Safe Surface Glass (QTY 2) Liner Kit
equined to complete - Joid Separately.	Crushed Glass Media 6" Insulated Flex Duct
IFPRIMOII60ST	60" See Through Direct Vent Gas Fireplace Top Vent With IntelliFire Touch 2.0 Ignition System (NG)
ronts - Non-Operable (Required to Complete) afe Surface Glass	
IAGLASSSS60	60" Safe Surface Barrier Glass
1edia (Required to Complete)	
rushed Glass Media	
IAMEDIACP	Copper Embers - Crushed Glass Media (1 bag, 5lbs)
IAMEDIACI	Crystal Embers - Crushed Glass Media (1 bag, 51bs)
IAMEDIAGT	Graphite Embers - Crushed Glass Media (1 bag, 51bs)
IAMEDIAST	Smoked Embers - Crushed Glass Media (1 bag, 51bs)
tone Media	
IASTONES60	River Rock Stone Set (requires media)
iner Kit (Required to Complete)	Niver Nock Stone Set (requires media)
rchitectural Fiber Refractory	
IAACTPRST	See Through Architectural Fiber Refractory
lack Glass Liner - Fluted	
IABGKFLPRST	See Through Black Glass Liner - Fluted
lack Glass Liner - Two Sided	
IABGKMRBPRST	See Through Black Glass Liner - 2 sided Reflective/Printed Marble
olumn Fiber Refractory	
IACOLPRST	See Through Stone Column Fiber Refractory
enting (Required to Complete)	
isulated Flex Duct - Chimney Air Kits/Flex Duct	
AID6	6" insulated flex duct for use with outside air kit - included two 42" sections
" Insulated Flex Duct	
IHVFLEXDUCT6AI	6" insulated flex duct for outside air - 25'
P Conversion Kit	
P Conversion Kit	
ILPKPRIMOII	LP Conversion kit for Primo II Series
ptions & Accessories	
arry Handle	
IACARRYHANDLE	Reusable Carry handle for use with PRIMO-II (1 pcs, need 2 per unit)

Gas Logs & Log Sets		
Birch Logs		
HABIRLGLINLG	48" Birch Log Set (Requires Crushed Glass Media)	\$
Driftwood Logs		
HADWLGLINLG	48" Driftwood Log Set (Requires Crushed Glass Media)	\$
Traditional Logs		
HAOAKLGLINLG	48" Traditional Log Set (Requires Crushed Glass Media)	\$
Heat Management		
Primo Heat Duct		
HAPRIMOHEATDUCT	Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall	\$
	and Ceiling Register, 25' of 6" Insulated Flex Duct	
Control, remotes, wall switchs		
IntelliFire app		
	IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all	
	the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat	\$
HAIFTWFM	control	
ntelliFire Touch Controls - Aux Module		
	IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat	~
HAIFT2PACM	Management. Does not include RC450 Touchscreen remote	\$
IntelliFire Touch Controls		
HAIFTRC150U	Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless	\$
	wall switch for On/Off and Cold Climate control	
ntelliFire Touch Controls		
HAIFT2RC450	IntelliFire Touch black remote control, docking station and auxiliary control module (on/off,	\$
	flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator,	
	lights, on-screen maintenance and troubleshooting notifications)	
Termination Kits		
Horizontal Termination Kit		
HAHZTERMADP	Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	\$
	Terminations, To Be Used With Standard DVP and SLP Trap Caps)	
Misc ACC		
Indoor/Outdoor Kit		
HAODKPR60	60" Indoor/Outdoor Kit (for use with PRIMO-II-48ST)	\$
Venting Notes		
DVP and SLP Venting Approved (DVP Sta	rting Collar)	
See Venting Section In Install Manual Fo	r Approved Pipe and Termination Caps	

PRIMO II 72ST			
Includes:			
38,050 - 59,000 BTU/Hour Input (NG)	When Terminating Horizontal the HZTERM-ADP Kit Is Required Along With a Standard Trap Cap		
38,500 - 59,000 BTU/Hour Input (LP)	Crushed Glass Media Only: 5 Bags		
72" W X 18" H Glass Viewing Size	Crushed Glass Media With Logs: 4 Bags		
IntelliFire Touch 2.0 Ignition System	Stones: use only 1 set, requires media, cannot		
······································	be used with logs		
RC-450 Remote Control	Advanced Technology Product Training Required Before Product Ships	ut or the bottle march	
Multi-Colored LED Lights			
6" Outside Air Starting Collar & Exterior Hood			
(6" Insulated Flex Sold Sperately)			
Suction Cups Recommended (Not Included) to			
install and remove Safe Surface & Firebox Glass)			
Required to Complete - Sold Separately:	Safe Surface Glass (QTY 2)	Liner Kit	
· ·	Crushed Glass Media	6" Insulated Flex Duct	
			MSRP
HFPRIMOII72ST	72" Single Side Direct Vent Gas Fireplace Top Ver (NG)	nt With IntelliFire Touch 2.0 Ignition System	\$19,94
Fronts - Non-Operable (Required to Complete) Safe Surface Glass			
HAGLASSSS72	60" Safe Surface Barrier Glass		\$689
Media (Required to Complete)			908 3
Crushed Glass Media			
HAMEDIACP	Copper Embers - Crushed Glass Media (1 bag, 5 b	as)	\$104
HAMEDIACY	Crystal Embers - Crushed Glass Media (1 bag, 51b		\$104
HAMEDIAGT	Graphite Embers - Crushed Glass Media (1 bag, 5		\$104
HAMEDIASM	Smoked Embers - Crushed Glass Media (1 bag, 5		\$104
Stone Media	(1
HASTONES72	River Rock Stone Set (requires media)		\$307
Liner Kit (Required to Complete)			
Architectural Fiber Refractory			
HAACTPRST	See Through Architectural Fiber Refractory		\$454
Black Glass Liner - Fluted	,		1
HABGKFLPRST	See Through Black Glass Liner - Fluted		\$592
Black Glass Liner - Two Sided			1
HABGKMRBPRST	See Through Black Glass Liner - 2 sided Reflective	e/Printed Marble	\$592
Column Fiber Refractory			1
HACOLPRST	See Through Stone Column Fiber Refractory		\$454
Venting (Required to Complete)			
Insulated Flex Duct - Chimney Air Kits/Flex Duct			1
ZAID6	6" insulated flex duct for use with outside air kit	- included two 42" sections	\$129
5" Insulated Flex Duct			1
HHVFLEXDUCT6AI	6" insulated flex duct for outside air - 25'		\$131
LP Conversion Kit			
LP Conversion Kit			1
HLPKPRIMOII	LP Conversion kit for Primo II Series		\$13
Options & Accessories			
Carry Handle			

Gas Logs & Log Sets		
Birch Logs		
HABIRLGLINLG	48" Birch Log Set (Requires Crushed Glass Media)	\$
Driftwood Logs		
HADWLGLINLG	48" Driftwood Log Set (Requires Crushed Glass Media)	\$
Traditional Logs		
HAOAKLGLINLG	48" Traditional Log Set (Requires Crushed Glass Media)	\$
Heat Management		
Primo Heat Duct		
HAPRIMOHEATDUCT	Heat Zone Duct Kit - Includes Unit Collar, 10" x 4" x 6" 90 Degree Register Duct Boot, 10" x 4" White Sidewall	\$
	and Ceiling Register, 25' of 6" Insulated Flex Duct	
Control, remotes, wall switchs		
IntelliFire app		
	IntelliFire Wi-Fi Module that works with the IntelliFire iOS and Android app. Use to control all	
	the features of your fireplace via a smart device. An RC400 or RC150 is required for thermostat	\$
HAIFTWFM	control	
ntelliFire Touch Controls - Aux Module		
	IntelliFire Touch 2.0 Premium AUX Module. Controls Lights, Fans, Power Vents, or Heat	\$
HAIFT2PACM	Management. Does not include RC450 Touchscreen remote	Ş
IntelliFire Touch Controls		
HAIFTRC150U	Universally compatible with IntelliFire Touch and IntelliFire Touch 2.0 systems. White wireless	\$
	wall switch for On/Off and Cold Climate control	
IntelliFire Touch Controls		
HAIFT2RC450	IntelliFire Touch black remote control, docking station and auxiliary control module (on/off,	\$
	flame height, thermostat mode, fan control, child lock, cold climate, timer mode, hot indicator,	
	lights, on-screen maintenance and troubleshooting notifications)	
Termination Kits		
Horizontal Termination Kit		
HAHZTERMADP	Horizontal Termination Adaptor Kit - Includes Base and Face Trim (Required For All Horizontal	\$
	Terminations, To Be Used With Standard DVP and SLP Trap Caps)	
Misc ACC		
Indoor/Outdoor Kit		
HAODKPR72	72" Indoor/Outdoor Kit (for use with PRIMO-II-48ST)	\$
Venting Notes		
DVP and SLP Venting Approved (DVP Sta	rting Collar)	
See Venting Section In Install Manual Fo	r Approved Pipe and Termination Caps	